



UTILITY POLE REPAIR COMPOUND



Crosslink Technology Inc.
Epoxies, Urethanes • Custom Cast Parts



Pecker Patch® Utility Pole Repair

This user friendly, easy to apply **Polyurethane compound** was specifically developed to repair wood utility poles damaged by **woodpeckers, insects or rot**.

Our formulating efforts were primarily focused on the lineman's safety. We considered this to be most important.

Our second major focus was on the ease with which the product could be dispensed under the sometimes difficult conditions faced by the repair crew. We believe that we met our goals while minimizing the necessary trade-offs.

This product may also be used by Arborists to repair cavities in living trees damaged by storms or insects. Once applied, it is harmless to wildlife or domesticated animals. This product is well suited to tree maintenance and repair projects as well as repairing general wood structures.

The combination of set time and viscosity of this urethane compound has been optimized to minimize/eliminate leakage through the exterior cavities of the damaged area. Polyurethanes were found better suited to this type of application because the cured properties are better suited to climbing with minimal safety risk.

This urethane product is packaged in 1,500ml disposable cartridges and can be purchased in kits with each kit containing 10 cartridges.

The compound is mixed through a disposable static mix head (10 mix heads included in each kit).

Starter kits include a choice of dispense guns with 20 cartridges and 20 mix heads along with all the accessories necessary to apply the urethane compound.

*A cost effective
way to prolong the
life of utility poles.*





If woodpecker damage is costing your utility thousands of dollars in pole replacements, contact Crosslink Technology today for a safe, quick and easy to use Pole Repair Compound.

Features

- Climbable after cure (safety issue)
- The correct combination of gel time and viscosity to minimize/eliminate leakage through common exterior cavities
- Fills voids and bonds to cavity walls
- 1:1 Ratio for easy mixing
- Consistent cure
- Quick and easy dispensing (gun included)
- Moisture will not inhibit cure
- Designed to accommodate pole flexing without cracking or creating stress lines
- Non-nutrient to Fungi
- Wide range of application temperatures

Lineman Benefits

- No annoying mess getting gloves and clothes dirty
- No kneading or mixing before use
- No weighing or measuring the mix
- The dispense gun and cartridges are clean and easy to store
- Effortless dispensing (including the manual dispense gun)
- The repaired area is safely climbable without fear of slippage
- Long lasting, quick repairs
- Does not get hot when mixed and burn hands

- ✓ All dispense guns are equipped with clutch mechanisms to prevent damage due to obstructed mix heads
- ✓ Partially used cartridges can be saved by removing the old mix head and re-capping the bottom opening of the cartridge
- ✓ The cartridges are suitable for use in a variety of dispense guns as follows:
 - Manual (requires much less force than a regular caulking gun)
 - Cordless (aka battery operated)
 - Pneumatic dispense gun (requires compressed air)



Crosslink listened to the needs of utilities companies and designed a product in response.

Pecker Patch® was first introduced in 2002 and has a proven service record. It is the product of choice by linemen and operations managers from southern Florida to northern Canada. The application method is the safest, cleanest, and easiest available.

Easy to apply and climbable when cured.

Ask your representative about our complete Utility Products line:



IMPORTANT

The information in this bulletin is based on data obtained by our own research and is considered accurate. All information supplied by Crosslink Technology Inc., is furnished upon the express condition that the person receiving the product shall make his own assessments to determine its suitability for this particular purpose. No warranty is expressed or implied regarding such information, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.



6430 Vipond Drive,
Mississauga, ON L5T 1W8 Canada

Phone: (905) 673.0510 - Fax: (905) 673.0519

Toll free North America: 1.800.563.3769



www.crosslinktech.com

